





Capacity:	250 (m³/h)	Driver:	A2FM 125	Comment:
Head:	120 (mlc)	Impeller diameter:	270 (mm)	
Speed:	3413 (rpm)			

No.	Viscosity	Specific gravity	Differential pressure
1	1 (cSt)	1.025 (kg/dm³)	177 (bar)





Capacity:	1500 (m³/h)	Driver:	A2FM 500	Comment:
Head:	35 (m/c)	Impeller diameter:	480 (mm)	
Speed:	1267 (rpm)			

No.	Viscosity	Specific gravity	Differential pressure
1	1 (cSt)	1.025 (kg/dm³)	195 (bar)





Capacity:	1500 (m³/h)	Driver:	A2FM 500	Comment:
Head:	35 (mlc)	Impeller diameter:	480 (mm)	
Speed:	1267 (rpm)			

No.	Viscosity	Specific gravity	Differential pressure
1	1 (cSt)	1.025 (kg/dm³)	195 (bar)
2	1 (cSt)	1.025 (kg/dm³)	150 (bar)
3	1 (cSt)	1.025 (kg/dm³)	100 (bar)





Capacity:	100 (m³/h)	Driver:	A2FM 32	Comment:
Head:	125 (m/c)	Impeller diameter:	220 (mm)	
Speed:	4029 (rpm)			

No.	Viscosity	Specific gravity	Differential pressure
1	1 (cSt)	0.75 (kg/dm³)	187 (bar)





Capacity:	100 (m³/h)	Driver:	A2FM 32	Comment:
Head:	125 (m/c)	Impeller diameter:	220 (mm)	
Speed:	4029 (rpm)			

No.	Viscosity	Specific gravity	Differential pressure
1	1 (cSt)	0.75 (kg/dm³)	187 (bar)
2	1 (cSt)	0.75 (kg/dm³)	150 (bar)
3	1 (cSt)	0.75 (kg/dm³)	100 (bar)





Capacity:	100 (m³/h)	Driver:	A2FM 32	Comment:
Head:	125 (m/c)	Impeller diameter:	220 (mm)	
Speed:	4029 (rpm)			

No.	Viscosity	Specific gravity	Differential pressure	No.	Viscosity	Specific gravity	Differential pressure
1	1 (cSt)	1 (kg/dm³)	187 (bar)	4	1 (cSt)	1 (kg/dm³)	150 (bar)
2	1 (cSt)	1 (kg/dm³)	244 (bar)	5	1 (cSt)	1 (kg/dm³)	100 (bar)
3	1 (cSt)	1 (kg/dm³)	200 (bar)				





Capacity:	500 (m³/h)	Driver:	A2FM 250	Comment:
Head:	125 (m/c)	Impeller diameter:	408 (mm)	
Speed:	2211 (rpm)			

No.	Viscosity	Specific gravity	Differential pressure
1	1 (cSt)	0.75 (kg/dm³)	188 (bar)





Capacity:	500 (m³/h)	Driver:	A2FM 250	Comment:
Head:	125 (mlc)	Impeller diameter:	408 (mm)	
Speed:	2211 (rpm)			

No.	Viscosity	Specific gravity	Differential pressure
1	1 (cSt)	0.75 (kg/dm³)	188 (bar)
2	1 (cSt)	0.75 (kg/dm³)	150 (bar)
3	1 (cSt)	0.75 (kg/dm³)	100 (bar)





Capacity:	500 (m³/h)	Driver:	A2FM 250	Comment:
Head:	125 (m/c)	Impeller diameter:	408 (mm)	
Speed:	2211 (rpm)			





Capacity:	1250 (m³/h)	Driver:	A2FM 500	Comment:
Head:	125 (m/c)	Impeller diameter:	470 (mm)	
Speed:	2076 (rpm)			

No.	Viscosity	Specific gravity	Differential pressure
1	1 (cSt)	0.75 (kg/dm³)	244 (bar)





Capacity:	1250 (m³/h)	Driver:	A2FM 500	Comment:
Head:	125 (mlc)	Impeller diameter:	470 (mm)	
Speed:	2076 (rpm)			





Capacity:	1250 (m³/h)	Driver:	A2FM 500	Comment:
Head:	125 (m/c)	Impeller diameter:	470 (mm)	
Speed:	2076 (rpm)			

No.	Viscosity	Specific gravity	Differential pressure	No.	Viscosity	Specific gravity	Differential pressure
1	1 (cSt)	1 (kg/dm³)	244 (bar)	3	1 (cSt)	1 (kg/dm³)	150 (bar)
2	1 (cSt)	1 (kg/dm³)	200 (bar)	4	1 (cSt)	1 (kg/dm³)	100 (bar)



Capacity:	300 (m³/h)	Driver:	A2FM 56	Comment:
Head:	50 (m/c)	Impeller diameter:	225 (mm)	
Speed:	3412 (rpm)			

No.	Viscosity	Specific gravity	Differential pressure
1	1 (cSt)	0.75 (kg/dm³)	189 (bar)



Capacity:	300 (m³/h)	Driver:	A2FM 56	Comment:
Head:	50 (m/c)	Impeller diameter:	225 (mm)	
Speed:	3412 (rpm)			

No.	Viscosity	Specific gravity	Differential pressure
1	1 (cSt)	0.75 (kg/dm³)	189 (bar)
2	1 (cSt)	0.75 (kg/dm³)	150 (bar)
3	1 (cSt)	0.75 (kg/dm³)	100 (bar)

